

A FACT SHEET FOR Middle School Athletes



This sheet has information to help you protect yourself from concussion or other serious brain injury and know what to do if a concussion occurs.


WHAT IS A CONCUSSION?

A concussion is a brain injury that affects how your brain works. It can happen when your brain gets bounced around in your skull after a fall or hit to the head.

What Should I Do If I Think I Have a Concussion?

Get Checked Out by a Doctor.

If you think you have a concussion, do not return to play on the day of the injury. Only a doctor or other healthcare provider can tell whether you have a concussion and when it's OK to return to school and play.



Report It.

Tell your coach and parent if you think you or one of your teammates may have a concussion. You won't play your best if you are not feeling well, and playing with a concussion is dangerous. Encourage your teammates to also report their symptoms.



Give Your Brain Time to Heal.

Most athletes with a concussion get better within a couple of weeks. For some, a concussion can make everyday activities, such as going to school, harder. You may need extra help getting back to your normal activities. Be sure to update your parents and doctor about how you are feeling.



**GOOD TEAMMATES KNOW:
IT'S BETTER TO MISS ONE GAME THAN THE WHOLE SEASON.**



cdc.gov/HEADSUP

How Can I Tell If I Have a Concussion?

You may have a concussion if you have any of these symptoms after a bump, blow, or jolt to the head or body:



..... **Get a headache**



..... **Feel dizzy, sluggish, or foggy**



..... **Are bothered by light or noise**



..... **Have double or blurry vision**



..... **Vomit or feel sick to your stomach**



..... **Have trouble focusing or problems remembering**



..... **Feel more emotional or "down"**



..... **Feel confused**



..... **Have problems with sleep**

A concussion feels different to each person, so it's important to tell your parents and doctor how you feel. You might notice concussion symptoms right away, but sometimes it takes hours or days until you notice that something isn't right.

How Can I Help My Team?

Protect Your Brain.

All your teammates should avoid hits to the head and follow the rules for safe play to lower chances of getting a concussion.

Be a Team Player.

If one of your teammates has a concussion, tell them that they're an important part of the team and they should take the time they need to get better.




The information provided in this document or through linkages to other sites is not a substitute for medical or professional care. Questions about diagnosis and treatment for concussion should be directed to a physician or other healthcare provider.

Revised January 2019

To learn more,
go to cdc.gov/HEADSUP



A FACT SHEET FOR Parents



What is a concussion?

A concussion is a type of brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow, or jolt to the head. Concussions can also occur from a blow to the body that causes the head and brain to move rapidly back and forth. Even what seems to be a mild bump to the head can be serious. Concussions can have a more serious effect on a young, developing brain and need to be addressed correctly.

What are the signs and symptoms of a concussion?

You can't see a concussion. Signs and symptoms of concussion can show up right after an injury or may not appear or be noticed until hours or days after the injury. It is important to watch for changes in how your child or teen is acting or feeling, if symptoms are getting worse, or if s/he just "doesn't feel right." Most concussions occur without loss of consciousness.

If your child or teen reports one or more of the symptoms of concussion listed below, or if you notice the signs or symptoms yourself, seek medical attention right away. Children and teens are among those at greatest risk for concussion.

Signs & Symptoms of a Concussion

Signs Observed by Parents or Guardians

- Appears dazed or stunned
- Is confused about events
- Answers questions slowly
- Repeats questions
- Can't recall events *prior* to hit, bump, or fall
- Can't recall events *after* hit, bump, or fall
- Loses consciousness (even briefly)
- Shows behavior or personality changes
- Forgets class schedule or assignments

Symptoms Reported by Your Child or Teen

Thinking/Remembering

- Difficulty thinking clearly
- Difficulty concentrating or remembering
- Feeling more slowed down
- Feeling sluggish, hazy, foggy, or groggy

Physical

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Fatigue or feeling tired
- Blurry or double vision
- Sensitivity to light or noise
- Numbness or tingling
- Does not "feel right"

Emotional

- Irritable
- Sad
- More emotional than usual
- Nervous

Sleep*

- Drowsy
- Sleeps *less* than usual
- Sleeps *more* than usual

**Only ask about sleep symptoms if the injury occurred on a prior day.*



Danger Signs

Be alert for symptoms that worsen over time. Your child or teen should be seen in an emergency department right away if she or he has one or more of these danger signs:

- One pupil (the black part in the middle of the eye) larger than the other
- Drowsiness or cannot be awakened
- A headache that gets worse and does not go away
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Difficulty recognizing people or places
- Increasing confusion, restlessness, or agitation
- Unusual behavior
- Loss of consciousness (even a brief loss of consciousness should be taken seriously)

Children and teens with a suspected concussion should NEVER return to sports or recreation activities on the same day the injured occurred.

They should delay returning to their activities until a healthcare provider experienced in evaluating for concussion says it's OK to return to play. This means, until permitted, not returning to:

- Physical Education (PE) class
- Sports practices or games
- Physical activity at recess

➤ What should I do if my child or teen has a concussion?

1. Seek medical attention right away.

A healthcare provider experienced in evaluating for concussion can determine how serious the concussion is and when it is safe for your child or teen to return to normal activities, including physical activity and school (concentration and learning activities).

2. Help them take time to get better.

If your child or teen has a concussion, her or his brain needs time to heal. Your child or teen may need to limit activities while s/he is recovering from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games may cause concussion symptoms (such as headache or tiredness) to reappear or get worse. After a concussion, physical and cognitive activities—such as concentration and learning—should be carefully managed and monitored by a healthcare provider.

3. Talk to your child or teen about how they are feeling.

Your child may feel frustrated, sad, and even angry because s/he cannot return to recreation and sports right away, or cannot keep up with schoolwork. Your child may also feel isolated from peers and social networks. Talk often with your child about these issues and offer your support and encouragement.

➤ How can I help my child return to school safely after a concussion?

Most children can return to school within a few days. Help your child or teen get needed support when returning to school after a concussion. Talk with your child's teachers, school nurse, coach, speech-language pathologist, or counselor about your child's concussion and symptoms.

Your child's or teen's healthcare provider can use CDC's Letter to Schools to provide strategies to help the school set up any needed supports.

As your child's symptoms decrease, the extra help or support can be removed gradually. Children and teens who return to school after a concussion may need to:

- Take rest breaks as needed
- Spend fewer hours at school
- Be given more time to take tests or complete assignments
- Receive help with schoolwork
- Reduce time spent reading, writing, or on the computer
- Sit out of physical activities, such as recess, PE, and sports until approved by a healthcare provider
- Complete fewer assignments
- Avoid noisy and over-stimulating environments

To learn more, go to www.cdc.gov/HEADSUP or call 1.800.CDC.INFO

January 2021



PARENT & ATHLETE CONCUSSION INFORMATION SHEET



WHAT IS A CONCUSSION?

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow, or jolt to the head or body that causes the head and brain to move quickly back and forth. Even a "ding," "getting your bell rung," or what seems to be a mild bump or blow to the head can be serious.

WHAT ARE THE SIGNS AND SYMPTOMS OF CONCUSSION?

Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports one or more symptoms of concussion after a bump, blow, or jolt to the head or body, s/he should be kept out of play the day of the injury. The athlete should only return to play with permission from a health care professional experienced in evaluating for concussion.

DID YOU KNOW?

- Most concussions occur without loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

SYMPTOMS REPORTED BY ATHLETE:

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Double or blurry vision
- Sensitivity to light
- Sensitivity to noise
- Feeling sluggish, hazy, foggy, or groggy
- Concentration or memory problems
- Confusion
- Just not "feeling right" or is "feeling down"

SIGNS OBSERVED BY COACHING STAFF:

- Appears dazed or stunned
- Is confused about assignment or position
- Forgets an instruction
- Is unsure of game, score, or opponent
- Moves clumsily
- Answers questions slowly
- Loses consciousness (even briefly)
- Shows mood, behavior, or personality changes
- Can't recall events prior to hit or fall
- Can't recall events after hit or fall



"IT'S BETTER TO MISS ONE GAME THAN THE WHOLE SEASON"

CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body s/he exhibits any of the following danger signs:

- One pupil larger than the other
- Is drowsy or cannot be awakened
- A headache that gets worse
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Cannot recognize people or places
- Becomes increasingly confused, restless, or agitated
- Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

1. If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.
2. Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, and playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.
3. Remember: Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

WHY SHOULD AN ATHLETE REPORT THEIR SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. They can even be fatal.

STUDENT-ATHLETE NAME PRINTED

STUDENT-ATHLETE NAME SIGNED

DATE

PARENT OR GUARDIAN NAME PRINTED


PARENT OR GUARDIAN NAME SIGNED

DATE

JOIN THE CONVERSATION  www.facebook.com/CDCHeadsUp

TO LEARN MORE GO TO >> WWW.CDC.GOV/CONCUSSION

Content Source: CDC's Heads Up Program. Created through a grant to the CDC Foundation from the National Operating Committee on Standards for Athletic Equipment (NOCSAE).





Pre-participation Examination



To be completed by athlete or parent prior to examination.

Name _____ Last _____ First _____ Middle _____ School Year _____

Address _____ City/State _____

Phone No. _____ Birthdate _____ Age _____ Class _____ Student ID No. _____

Parent's Name _____ Phone No. _____

Address _____ City/State _____

HISTORY FORM

Medicines and Allergies: Please list all of the prescription and over-the-counter medicines and supplements (herbal and nutritional) that you are currently taking

Do you have any allergies? Yes No If yes, please identify specific allergy below.
 Medicines Pollens Food Stinging Insects

Explain "Yes" answers below. Circle questions you don't know the answers to.

GENERAL QUESTIONS	Yes	No
1. Has a doctor ever denied or restricted your participation in sports for any reason?		
2. Do you have any ongoing medical conditions? If so, please identify below: <input type="checkbox"/> Asthma <input type="checkbox"/> Anemia <input type="checkbox"/> Diabetes <input type="checkbox"/> Infections Other: _____		
3. Have you ever spent the night in the hospital?		
4. Have you ever had surgery?		
HEART HEALTH QUESTIONS ABOUT YOU	Yes	No
5. Have you ever passed out or nearly passed out DURING or AFTER exercise?		
6. Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise?		
7. Does your heart ever race or skip beats (irregular beats) during exercise?		
8. Has a doctor ever told you that you have any heart problems? If so, check all that apply: <input type="checkbox"/> High blood pressure <input type="checkbox"/> A heart murmur <input type="checkbox"/> High cholesterol <input type="checkbox"/> A heart infection <input type="checkbox"/> Kawasaki disease Other: _____		
9. Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, echocardiogram)		
10. Do you get lightheaded or feel more short of breath than expected during exercise?		
11. Have you ever had an unexplained seizure?		
12. Do you get more tired or short of breath more quickly than your friends during exercise?		
HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	Yes	No
13. Has any family member or relative died of heart problems or had an unexpected or unexplained sudden death before age 50 (including drowning, unexplained car accident, or sudden infant death syndrome)?		
14. Does anyone in your family have hypertrophic cardiomyopathy, Marfan syndrome, arrhythmogenic right ventricular cardiomyopathy, long QT syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic polymorphic ventricular tachycardia?		
15. Does anyone in your family have a heart problem, pacemaker, or implanted defibrillator?		
16. Has anyone in your family had unexplained fainting, unexplained seizures, or near drowning?		
BONE AND JOINT QUESTIONS	Yes	No
17. Have you ever had an injury to a bone, muscle, ligament, or tendon that caused you to miss a practice or a game?		
18. Have you ever had any broken or fractured bones or dislocated joints?		
19. Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches?		
20. Have you ever had a stress fracture?		
21. Have you ever been told that you have or have you had an x-ray for neck instability or atlantoaxial instability? (Down syndrome or dwarfism)		
22. Do you regularly use a brace, orthotics, or other assistive device?		
23. Do you have a bone, muscle, or joint injury that bothers you?		
24. Do any of your joints become painful, swollen, feel warm, or look red?		
25. Do you have any history of juvenile arthritis or connective tissue disease?		

MEDICAL QUESTIONS	Yes	No
26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
27. Have you ever used an inhaler or taken asthma medicine?		
28. Is there anyone in your family who has asthma?		
29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?		
30. Do you have groin pain or a painful bulge or hernia in the groin area?		
31. Have you had infectious mononucleosis (mono) within the last month?		
32. Do you have any rashes, pressure sores, or other skin problems?		
33. Have you had a herpes or MRSA skin infection?		
34. Have you ever had a head injury or concussion?		
35. Have you ever had a hit or blow to the head that caused confusion, prolonged headache, or memory problems?		
36. Do you have a history of seizure disorder?		
37. Do you have headaches with exercise?		
38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		
39. Have you ever been unable to move your arms or legs after being hit or falling?		
40. Have you ever become ill while exercising in the heat?		
41. Do you get frequent muscle cramps when exercising?		
42. Do you or someone in your family have sickle cell trait or disease?		
43. Have you had any problems with your eyes or vision?		
44. Have you had any eye injuries?		
45. Do you wear glasses or contact lenses?		
46. Do you wear protective eyewear, such as goggles or a face shield?		
47. Do you worry about your weight?		
48. Are you trying to or has anyone recommended that you gain or lose weight?		
49. Are you on a special diet or do you avoid certain types of foods?		
50. Have you ever had an eating disorder?		
51. Have you or any family member or relative been diagnosed with cancer?		
52. Do you have any concerns that you would like to discuss with a doctor?		
FEMALES ONLY	Yes	No
53. Have you ever had a menstrual period?		
54. How old were you when you had your first menstrual period?		
55. How many periods have you had in the last 12 months?		

Explain "yes" answers here

I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.

Signature of athlete _____ Signature of parent/guardian _____ Date _____



Pre-participation Examination



PHYSICAL EXAMINATION FORM

Name _____
Last First Middle

EXAMINATION		<input type="checkbox"/> Male	<input type="checkbox"/> Female
Height _____	Weight _____		
BP _____ / _____ (_____ / _____)	Pulse _____	Vision R 20/ _____	L 20/ _____
		Corrected	<input type="checkbox"/> Y <input type="checkbox"/> N
MEDICAL	NORMAL	ABNORMAL FINDINGS	
Appearance • Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency)			
Eyes/ears/nose/throat • Pupils equal • Hearing			
Lymph nodes			
Heart ^a • Murmurs (auscultation standing, supine, +/- Valsalva) • Location of point of maximal impulse (PMI)			
Pulses • Simultaneous femoral and radial pulses			
Lungs			
Abdomen			
Genitourinary (males only) ^b			
Skin • HSV, lesions suggestive of MRSA, tinea corporis			
Neurologic ^c			
MUSCULOSKELETAL			
Neck			
Back			
Shoulder/arm			
Elbow/forearm			
Wrist/hand/fingers			
Hip/thigh			
Knee			
Leg/Ankle			
Foot/toes			
Functional • Duck-walk, single leg hop			

^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam.
^bConsider GU exam if in private setting. Having third party present is recommended.
^cConsider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.

On the basis of the examination on this day, I approve this child's participation in interscholastic sports for 395 days from this date.
 Yes _____ No _____ Limited _____ Examination Date _____

Additional Comments: _____

Physician's Signature _____ Physician's Name _____

Physician Assistant Signature* _____ PA's Name _____

Advanced Nurse Practitioner's Signature* _____ ANP's Name _____

*effective January 2003, the IHSA Board of Directors approved a recommendation, consistent with the Illinois School Code, that allows Physician's Assistants or Advanced Nurse Practitioners to sign off on physicals.

IHSA Steroid Testing Policy Consent to Random Testing

(This section for high school students only)
 2013-2014 school term

As a prerequisite to participation in IHSA athletic activities, we agree that I/our student will not use performance-enhancing substances as defined in the IHSA Performance-Enhancing Substance Testing Program Protocol. We have reviewed the policy and understand that I/our student may be asked to submit to testing for the presence of performance-enhancing substances in my/his/her body either during IHSA state series events or during the school day, and I/our student do/does hereby agree to submit to such testing and analysis by a certified laboratory. We further understand and agree that the results of the performance-enhancing substance testing may be provided to certain individuals in my/our student's high school as specified in the IHSA Performance-Enhancing Substance Testing Program Protocol which is available on the IHSA website at www.IHSA.org. We understand and agree that the results of the performance-enhancing substance testing will be held confidential to the extent required by law. We understand that failure to provide accurate and truthful information could subject me/our student to penalties as determined by IHSA.

A complete list of the current IHSA Banned Substance Classes can be accessed at http://www.ihsa.org/initiatives/sportsMedicine/files/IHSA_banned_substance_classes.pdf

Signature of student-athlete _____ Date _____ Signature of parent-guardian _____ Date _____